

Performance of perennial ryegrass cultivars and selections in a lawn height turf trial seeded September 2, 2015 at St. Paul, MN.

Cultivar or Selection	Turfgrass Quality ¹									Winter Damage ² May 2017	
	2016-		2017								
	2017 Avg.	2016 Avg.	2017 Avg.	May Avg.	June Avg.	July Avg.	Aug. Avg.	Sept. Avg.			
1 65199	5.5	5.9	5.1	4.7	6.7	4.3	5.7	4.3	6.3		
2 14-473	5.5	5.5	5.5	5.0	5.7	4.7	5.7	6.3	6.7		
3 14-40	5.5	5.9	5.0	5.3	5.3	3.7	5.0	5.7	7.0		
4 14-27	5.4	5.4	5.3	6.3	5.0	4.7	5.3	5.3	6.7		
5 14-420	5.3	5.2	5.4	4.3	5.0	5.0	6.3	6.3	5.7		
6 14-64	5.3	5.5	5.1	5.0	5.3	4.0	6.0	5.3	6.3		
7 14-461	5.2	5.9	4.5	4.7	4.0	3.3	5.3	5.0	4.7		
8 14-507	5.2	5.8	4.5	4.0	4.3	3.7	5.3	5.3	4.7		
9 14-7	5.2	5.3	5.1	5.7	5.0	4.3	5.7	5.0	7.0		
10 14-483	5.1	5.7	4.5	4.0	4.3	4.3	5.0	5.0	4.7		
11 4017	5.1	5.4	4.9	5.3	4.7	4.7	6.0	4.0	7.7		
12 14-30	5.1	5.6	4.7	4.7	4.3	4.7	5.3	4.7	5.7		
13 14-77	5.1	5.4	4.9	5.0	4.7	3.7	5.7	5.3	6.0		
14 14-5	5.1	5.9	4.4	4.3	4.3	3.3	5.0	5.0	5.7		
15 14-437	5.1	6.3	3.9	3.3	4.0	3.0	4.7	4.7	4.7		
16 14-12	5.1	5.4	4.7	5.0	5.0	4.0	5.7	4.0	5.7		
17 14-18	5.1	5.4	4.7	4.7	5.0	4.0	5.0	4.7	6.3		
18 14-48	5.1	5.5	4.6	5.3	4.7	3.7	5.0	4.3	6.3		
19 14-2	5.0	5.2	4.9	5.3	5.0	4.0	5.7	4.7	6.7		
20 14-6	5.0	5.3	4.8	5.0	4.7	4.0	5.7	4.7	6.3		
21 64707	5.0	5.3	4.7	3.3	4.0	5.0	5.7	5.7	4.3		
22 14-38	5.0	5.3	4.8	5.0	4.7	3.0	5.7	5.7	5.7		
23 64815	5.0	5.2	4.9	4.3	4.7	4.7	5.7	5.3	5.3		
24 14-32	5.0	5.7	4.4	4.7	4.3	3.7	5.0	4.3	5.3		
25 14-441	5.0	5.9	4.0	3.0	3.7	3.3	4.7	5.3	4.3		
26 14-408	5.0	5.3	4.7	3.3	4.7	4.3	5.0	6.0	3.3		
27 14-3	5.0	5.3	4.7	5.3	4.7	3.7	5.0	4.7	6.0		
28 14-88	5.0	5.1	4.9	5.3	5.0	3.7	5.7	4.7	7.0		
29 65164	5.0	5.5	4.4	4.7	5.0	3.3	5.0	4.0	5.7		
30 14-33	5.0	5.5	4.5	4.7	4.7	3.7	4.7	4.7	6.3		
31 14-564	5.0	5.6	4.3	3.7	4.3	4.0	4.7	4.7	3.7		
32 14-29	4.9	5.4	4.5	4.3	4.3	3.7	5.0	5.0	5.0		
33 14-86	4.9	5.3	4.5	5.0	4.3	3.3	4.7	5.3	5.0		
34 4031	4.9	5.8	4.0	4.0	4.7	3.3	4.3	3.7	4.7		
35 14-8	4.9	5.9	3.9	4.0	4.0	3.3	4.0	4.0	5.3		
36 4029	4.9	5.6	4.2	3.7	4.0	4.7	4.7	4.0	4.7		
37 65147	4.9	5.3	4.5	4.3	5.0	3.3	5.3	4.3	5.7		
38 64702	4.9	4.9	4.9	3.7	4.7	5.0	5.7	5.3	5.3		
39 14-442	4.9	5.9	3.9	2.7	4.3	4.0	4.3	4.0	3.3		
40 14-43	4.9	5.8	3.9	4.0	3.7	3.3	5.0	3.7	4.7		

(continued)

41	14-73	4.9	5.1	4.7	4.0	4.7	4.0	5.3	5.3	5.3
42	14-465	4.8	5.1	4.5	2.7	4.0	5.0	6.0	5.0	4.0
43	14-76	4.8	5.7	3.9	4.3	4.0	3.0	4.0	4.3	5.7
44	64734	4.8	4.9	4.7	4.3	5.3	4.3	4.7	4.7	6.0
45	64615	4.8	4.8	4.9	5.0	5.3	4.7	4.7	4.7	5.7
46	14-22	4.8	5.3	4.3	4.7	4.3	3.3	5.3	4.0	5.0
47	14-56	4.8	5.4	4.3	4.7	3.7	3.3	4.3	5.3	4.7
48	64698	4.8	5.8	3.9	3.7	3.7	3.3	4.7	4.0	4.0
49	14-10	4.8	5.4	4.3	5.0	4.7	3.3	4.7	3.7	5.7
50	14-69	4.8	5.2	4.3	4.3	4.3	3.0	5.7	4.3	5.7
51	14-406	4.8	6.1	3.4	2.7	3.0	3.0	4.0	4.3	2.7
52	Premium	4.8	5.5	4.1	3.7	4.3	3.3	4.7	4.3	4.7
53	65202	4.8	5.5	4.1	4.3	4.7	3.3	4.3	3.7	5.3
54	14-57	4.8	5.3	4.2	4.3	4.3	3.3	4.7	4.3	5.3
55	14-11	4.8	5.8	3.9	4.0	4.0	3.3	4.0	4.0	5.7
56	14-50	4.8	5.6	3.9	3.7	3.7	3.7	4.0	4.3	4.7
57	14-414	4.8	5.8	3.7	3.0	3.7	3.7	4.0	4.0	4.0
58	14-21	4.8	5.9	3.6	3.7	3.7	3.3	3.7	3.7	5.0
59	64681	4.8	5.1	4.4	4.3	5.3	3.7	4.7	4.0	6.0
60	4030	4.7	5.3	4.1	4.7	4.3	3.3	4.7	3.7	5.7
61	2A2	4.7	5.6	3.9	3.3	4.3	3.7	4.0	4.0	3.7
62	14-4	4.7	5.3	4.1	4.0	4.3	3.3	4.7	4.3	5.7
63	14-89	4.7	5.2	4.2	4.3	4.0	3.7	4.7	4.3	4.3
64	14-45	4.7	5.3	4.2	4.3	4.3	3.7	4.7	4.0	5.3
65	14-25	4.7	5.6	3.8	3.7	4.0	3.0	4.7	3.7	5.3
66	65207	4.7	5.2	4.3	3.7	4.7	3.7	5.3	4.0	5.0
67	14-34	4.7	5.5	3.9	3.7	4.0	3.3	4.0	4.3	5.0
68	64628	4.7	5.1	4.3	4.3	5.0	4.0	4.7	3.7	6.3
69	64721	4.7	4.9	4.5	4.0	4.0	4.0	5.0	5.3	4.7
70	64833	4.7	4.9	4.5	4.7	4.3	4.3	5.3	4.0	5.3
71	14-58	4.7	5.5	3.9	4.3	4.3	2.7	4.3	4.0	5.3
72	65198	4.7	5.6	3.8	3.3	4.7	3.0	4.3	3.7	4.3
73	65123	4.7	5.2	4.1	4.3	5.0	3.3	4.3	3.3	5.7
74	14-49	4.7	5.5	3.8	4.7	3.7	3.0	4.0	3.7	6.7
75	65108	4.7	5.0	4.3	4.7	4.7	3.3	4.7	4.0	5.7
76	64605	4.7	4.9	4.5	3.3	4.7	3.7	5.0	5.7	4.7
77	65141	4.7	5.1	4.2	4.7	4.3	3.3	4.3	4.3	5.3
78	14-26	4.7	5.1	4.2	4.7	4.3	3.7	4.3	4.0	5.7
79	14-19	4.6	5.4	3.9	4.0	4.0	3.3	4.0	4.0	4.3
80	64687	4.6	5.3	4.0	3.3	4.3	3.7	4.0	4.7	4.3
81	14-61	4.6	5.4	3.8	4.0	3.7	2.7	4.3	4.3	5.0
82	14-31	4.6	6.0	3.3	3.7	3.3	3.0	4.0	2.7	5.3
83	14-37	4.6	5.4	3.8	3.7	4.0	3.0	4.3	4.0	5.3
84	14-24	4.6	5.7	3.5	3.7	4.0	3.0	4.0	3.0	5.0
85	14-36	4.6	5.5	3.7	3.7	3.7	2.7	4.0	4.7	5.0

(continued)

86	14-28	4.6	5.8	3.4	3.3	3.7	2.3	4.3	3.3	4.7
87	14-70	4.6	5.1	4.0	4.7	4.3	3.0	4.3	3.7	5.7
88	14-460	4.6	5.2	3.9	2.7	3.7	4.0	5.0	4.3	3.7
89	64845	4.6	5.0	4.2	4.7	4.3	3.3	4.3	4.3	5.7
90	14-42	4.6	5.3	3.8	4.0	3.7	3.0	4.3	4.0	5.3
91	64731	4.6	5.3	3.8	3.3	4.3	3.3	4.0	4.0	4.0
92	14-39	4.6	5.6	3.6	4.3	3.3	2.7	4.3	3.3	6.0
93	65136	4.6	5.1	4.1	3.7	3.7	3.7	4.7	4.7	4.7
94	2FIND-13	4.6	5.2	4.0	4.0	4.3	3.3	4.7	3.7	4.0
95	65106	4.5	4.9	4.1	3.7	4.3	4.0	4.7	4.0	5.7
96	64811	4.5	5.0	4.1	4.0	3.3	3.3	5.0	4.7	5.7
97	14-35	4.5	5.3	3.8	3.7	3.7	3.7	4.0	4.0	4.3
98	2SURV	4.5	5.4	3.8	3.7	4.3	2.7	4.3	4.0	5.0
99	64625	4.5	4.7	4.3	5.0	4.7	4.0	4.7	3.3	6.0
100	14-54	4.5	6.0	3.1	3.0	3.3	2.3	3.7	3.3	4.0
101	65152	4.5	5.2	3.8	4.0	3.7	3.3	4.0	4.0	5.0
102	64701	4.5	5.1	3.9	3.3	3.7	4.0	4.7	3.7	4.3
103	14-71	4.5	5.5	3.5	3.3	4.0	2.7	4.0	3.7	4.7
104	65162	4.5	5.5	3.5	3.7	3.7	3.0	4.0	3.3	4.0
105	65209	4.5	5.5	3.5	3.7	3.7	3.0	3.7	3.3	4.3
106	14-532	4.5	5.4	3.7	2.7	4.0	3.7	4.0	4.0	4.0
107	14-481	4.5	5.2	3.8	3.3	3.7	3.0	4.3	4.7	3.7
108	65156	4.5	4.9	4.1	3.0	4.3	3.7	5.0	4.7	4.3
109	14-44	4.5	5.4	3.6	4.0	3.7	3.0	3.7	3.7	4.7
110	14-434	4.5	5.2	3.9	3.3	4.0	3.7	4.0	4.3	4.3
111	64843	4.5	5.0	4.0	3.0	4.7	4.0	4.0	4.3	4.0
112	64739	4.5	4.6	4.3	4.0	4.3	4.0	4.3	5.0	5.7
113	14-41	4.5	5.2	3.7	4.0	4.0	3.0	4.3	3.3	5.0
114	64814	4.5	4.8	4.2	4.3	4.3	4.0	4.7	3.7	5.7
115	14-1	4.5	5.5	3.4	3.3	3.7	2.7	3.7	3.7	4.0
116	14-542	4.5	5.3	3.7	3.0	3.7	3.0	5.0	3.7	4.0
117	65125	4.5	5.1	3.8	3.7	4.0	3.7	4.0	3.7	5.0
118	64806	4.5	4.9	3.9	3.7	4.3	4.0	4.0	3.7	4.3
119	14-66	4.5	5.4	3.5	4.0	3.7	2.3	4.3	3.3	5.0
120	64847	4.4	4.9	4.0	3.0	4.0	3.3	5.3	4.3	4.0
121	14-451	4.4	5.1	3.8	3.3	3.7	3.3	4.3	4.3	4.7
122	2TFC	4.4	4.6	4.3	4.3	4.7	4.3	4.3	3.7	4.7
123	14-59	4.4	5.1	3.7	4.3	3.7	3.7	3.7	3.3	5.0
124	14-16	4.4	5.4	3.5	3.7	3.7	3.0	4.0	3.3	5.0
125	14-511	4.4	5.0	3.9	2.7	4.0	4.3	4.7	4.0	3.7
126	64678	4.4	4.8	4.0	3.3	4.0	3.7	4.7	4.3	4.0
127	64710	4.4	5.5	3.4	3.3	3.3	2.7	4.3	3.3	5.3
128	64694	4.4	5.0	3.7	3.3	3.7	3.7	4.3	3.7	4.7
129	GO-143E	4.4	4.7	4.1	4.7	4.7	3.3	4.7	3.0	6.7
130	64802	4.4	4.8	4.1	4.0	3.3	4.3	4.3	4.3	5.3

(continued)

131	14-9	4.4	5.8	3.0	2.7	3.0	2.7	3.3	3.3	3.0
132	65158	4.4	4.9	3.9	3.7	4.3	3.3	4.0	4.0	4.3
133	64803	4.4	4.7	4.2	3.3	4.0	4.7	4.7	4.3	4.3
134	65107	4.4	5.4	3.3	3.0	3.7	2.3	4.7	3.0	4.3
135	14-51	4.4	5.0	3.7	3.7	3.7	2.7	4.7	3.7	4.7
136	64796	4.4	5.3	3.5	3.7	4.0	2.7	3.7	3.7	5.3
137	64686	4.4	5.1	3.6	3.7	3.7	3.3	3.7	3.7	5.3
138	64792	4.3	5.1	3.5	3.3	3.4	3.3	4.0	3.3	5.3
139	14-55	4.3	5.1	3.5	3.7	3.3	3.0	4.0	3.7	6.0
140	65135	4.3	5.2	3.5	3.3	4.0	2.3	4.0	3.7	4.7
141	65112	4.3	5.0	3.6	3.3	4.0	3.3	4.0	3.3	4.3
142	64730	4.3	5.1	3.5	3.3	3.7	3.3	3.7	3.7	4.3
143	14-20	4.3	4.9	3.7	4.3	3.7	2.7	4.3	3.3	5.7
144	65145	4.3	5.1	3.5	3.7	3.7	3.3	3.7	3.3	4.7
145	14-87	4.3	5.0	3.7	3.7	3.7	3.0	4.0	4.0	4.7
146	64700	4.3	4.7	3.9	3.7	4.0	4.0	4.3	3.7	5.3
147	65134	4.3	4.6	3.9	3.7	4.0	3.7	5.0	3.0	4.7
148	65116	4.3	5.2	3.3	3.0	2.9	3.3	3.7	3.3	4.3
149	65150	4.3	4.7	3.9	3.7	4.0	3.7	4.0	4.0	5.0
150	14-65	4.3	5.6	3.0	3.3	3.3	2.3	3.0	3.0	4.0
151	14-470	4.3	5.1	3.4	2.7	3.7	3.3	3.7	3.7	3.0
152	4030A	4.3	5.2	3.4	3.7	3.3	2.7	4.0	3.3	4.7
153	65180	4.2	5.3	3.3	3.0	3.3	3.0	4.0	3.0	3.7
154	64818	4.2	5.1	3.3	3.3	3.7	3.3	3.3	3.0	4.0
155	65119	4.2	4.6	3.9	4.3	4.7	3.7	3.7	3.3	5.3
156	65149	4.2	5.2	3.3	2.3	4.0	3.3	3.7	3.0	3.0
157	64715	4.2	5.1	3.4	2.7	2.7	3.7	4.3	3.7	4.0
158	Provost	4.2	5.1	3.3	3.0	3.3	2.3	4.3	3.3	4.0
159	2ED1	4.2	5.0	3.5	3.0	3.7	3.0	4.0	3.7	3.7
160	14-536	4.2	4.8	3.7	3.0	3.3	3.7	4.3	4.0	3.7
161	64691	4.2	5.1	3.3	3.3	3.7	2.7	4.0	2.7	4.0
162	GO-142E	4.2	5.0	3.4	3.0	4.7	2.7	4.0	2.7	4.7
163	65121	4.2	4.9	3.5	4.0	3.0	3.3	3.7	3.3	4.7
164	3997	4.2	4.7	3.6	4.3	4.0	3.0	3.7	3.0	5.7
165	14-508	4.2	5.4	3.0	2.0	2.7	2.7	3.7	4.0	2.0
166	65111	4.2	4.5	3.9	4.3	4.3	3.3	4.3	3.0	6.0
167	64656	4.2	5.0	3.4	3.0	3.3	3.3	3.7	3.7	4.0
168	64842	4.2	4.7	3.7	3.3	4.0	3.3	4.3	3.7	4.7
169	GO-141E	4.2	5.4	3.0	3.0	3.7	2.7	3.3	2.3	3.0
170	Presidio	4.2	4.9	3.5	4.0	4.3	2.7	4.0	2.7	4.3
171	65131	4.2	4.7	3.6	3.7	3.3	3.3	4.7	3.0	5.3
172	14-479	4.2	5.1	3.2	2.7	3.0	2.3	4.0	4.0	2.7
173	65153	4.2	5.0	3.3	3.7	3.3	2.3	3.7	3.3	4.3
174	64704	4.2	4.6	3.7	3.3	3.3	4.0	4.3	3.7	5.3
175	64627	4.2	5.1	3.3	3.7	3.3	2.7	3.7	3.0	6.0

(continued)

176	64594	4.2	5.0	3.3	3.3	3.7	3.0	3.3	3.0	4.7
177	64626	4.2	5.1	3.2	3.3	3.7	2.7	3.3	3.0	4.7
178	14-457	4.1	4.6	3.6	2.7	3.7	3.3	4.3	4.0	4.0
179	2LGS	4.1	4.8	3.5	3.7	4.0	3.3	3.7	3.0	4.7
180	64680	4.1	4.9	3.3	3.3	3.7	2.7	3.7	3.3	4.3
181	65115	4.1	4.4	3.8	3.7	3.7	4.0	4.0	3.7	5.3
182	64714	4.1	4.9	3.5	3.3	3.7	3.3	4.0	3.0	5.0
183	64597	4.1	4.7	3.6	3.7	3.3	3.3	4.3	3.3	4.7
184	64695	4.1	4.4	3.8	3.3	3.7	4.3	4.0	3.7	3.7
185	65197	4.1	4.9	3.4	3.3	4.0	3.0	3.7	3.0	4.7
186	65193	4.1	4.7	3.5	4.3	3.7	3.0	4.0	2.7	5.3
187	64752	4.1	4.4	3.8	3.7	4.3	3.0	4.0	4.0	4.3
188	65126	4.1	4.8	3.3	3.7	4.0	3.0	3.3	2.7	5.0
189	14-80	4.1	4.9	3.3	3.0	3.3	3.3	3.7	3.3	5.0
190	3998	4.1	5.4	2.8	2.3	3.3	2.7	3.3	2.3	3.0
191	14-75	4.1	5.2	2.9	3.0	3.0	2.3	3.3	3.0	3.7
192	64696	4.1	4.1	4.1	3.0	3.7	4.3	5.3	4.0	2.7
193	14-15	4.1	4.4	3.7	3.7	3.7	3.7	4.3	3.0	5.0
194	14-52	4.1	4.9	3.2	3.0	3.3	3.0	3.7	3.0	3.7
195	Belize	4.1	4.8	3.4	3.7	4.0	2.7	4.0	2.7	4.7
196	14-63	4.1	4.9	3.3	2.7	3.0	3.7	4.0	3.3	5.3
197	64817	4.1	4.6	3.5	3.3	3.7	3.7	4.0	3.0	4.3
198	65178	4.1	5.1	3.0	3.0	3.3	2.3	3.3	3.0	4.0
199	14-74	4.1	5.0	3.2	3.3	4.0	2.3	3.3	3.0	4.7
200	64690	4.1	4.7	3.5	3.3	3.7	3.3	4.0	3.0	4.7
201	64592	4.0	4.6	3.5	4.0	4.0	3.0	3.3	3.0	5.3
202	64824	4.0	4.1	3.9	4.3	3.7	3.3	3.7	4.7	5.0
203	64813	4.0	4.9	3.3	3.0	3.3	3.3	3.7	3.0	4.0
204	64634	4.0	4.6	3.5	3.3	3.7	3.3	3.7	3.3	5.0
205	2ETS	4.0	4.6	3.5	3.7	3.7	3.0	4.0	3.0	4.3
206	64653	4.0	4.4	3.7	3.0	4.0	3.3	4.0	4.0	3.0
207	Gray Fox	4.0	4.9	3.2	3.7	3.3	2.7	3.7	2.7	4.0
208	14-488	4.0	5.1	2.9	2.7	3.0	2.3	3.3	3.3	3.3
209	65154	4.0	4.1	3.9	4.0	4.0	3.0	5.0	3.7	5.7
210	65109	4.0	4.9	3.1	3.7	3.3	2.7	3.3	2.7	4.3
211	65110	4.0	4.6	3.4	3.3	4.3	3.3	3.3	2.7	4.0
212	14-501	4.0	4.8	3.2	1.7	3.0	3.7	3.7	4.0	2.7
213	64804	4.0	4.8	3.1	2.7	3.0	2.7	3.7	3.7	3.7
214	65179	4.0	4.8	3.2	3.7	3.3	2.7	3.3	3.0	5.7
215	64581	4.0	4.3	3.7	3.3	4.7	3.7	4.0	2.7	4.3
216	14-569	4.0	4.9	3.0	2.0	3.0	2.7	3.7	3.7	2.0
217	65181	4.0	4.1	3.9	4.3	4.3	3.0	4.0	3.7	4.7
218	65169	4.0	5.0	3.0	3.0	3.0	3.0	3.7	2.3	4.0
219	65128	3.9	4.7	3.2	3.3	3.3	3.3	3.3	2.7	4.7
220	64772	3.9	4.0	3.9	3.7	4.3	4.0	4.0	3.7	4.3

(continued)

221	Primary	3.9	4.6	3.2	3.7	3.7	2.7	3.7	2.3	4.3
222	64683	3.9	4.5	3.3	2.7	3.7	3.0	4.0	3.0	4.0
223	14-46	3.9	5.1	2.7	2.3	3.0	2.3	3.0	2.7	3.0
224	65127	3.9	4.2	3.6	3.7	4.7	3.7	3.7	2.3	4.3
225	65120	3.9	4.7	3.1	2.7	3.3	3.7	3.7	2.3	4.0
226	64659	3.9	4.3	3.4	3.0	3.7	3.3	3.7	3.3	4.0
227	3976	3.9	5.3	2.5	2.3	2.7	2.7	2.7	2.3	2.3
228	2SHRP	3.9	5.1	2.7	2.3	3.3	2.3	2.7	2.7	2.7
229	64692	3.9	4.7	3.0	2.3	3.7	2.7	4.0	2.3	3.0
230	65177	3.8	4.5	3.1	2.7	3.3	3.0	3.7	3.0	4.0
231	64682	3.8	4.6	3.1	2.7	3.3	3.0	3.7	2.7	3.7
232	64649	3.8	4.5	3.1	3.3	3.4	3.0	3.3	2.7	4.3
233	65155	3.8	4.6	3.1	2.7	3.0	3.3	3.3	3.0	4.0
234	64783	3.8	4.6	3.0	2.7	3.0	3.0	3.7	2.7	4.0
235	14-427	3.8	4.6	3.0	2.3	3.0	3.0	3.3	3.3	3.0
236	64640	3.8	4.7	2.9	3.0	3.3	2.7	3.3	2.3	4.7
237	65138	3.8	4.4	3.2	3.7	3.3	3.0	3.0	3.0	4.7
238	14-493	3.8	5.1	2.6	2.0	2.7	2.0	3.0	3.3	2.0
239	65105	3.8	4.4	3.2	2.7	3.0	3.3	4.0	3.0	4.3
240	Prominent	3.8	4.7	2.8	2.7	3.7	2.0	3.3	2.3	3.7
241	65163	3.8	4.4	3.1	3.0	3.7	2.3	3.3	3.0	4.3
242	14-538	3.8	4.7	2.9	2.3	3.0	2.3	3.7	3.3	2.7
243	64668	3.8	4.4	3.1	3.3	3.3	2.3	3.3	3.3	4.3
244	64812	3.8	4.7	2.8	2.3	2.7	2.7	3.3	3.0	3.0
245	64821	3.8	4.3	3.2	2.7	3.3	2.7	4.0	3.3	3.3
246	64828	3.8	3.7	3.9	3.3	3.7	4.3	4.0	4.0	4.0
247	14-47	3.7	5.2	2.2	2.3	2.3	1.7	2.3	2.3	3.0
248	64697	3.7	4.5	3.0	2.7	3.0	2.7	3.7	3.0	4.3
249	64788	3.7	4.1	3.3	3.0	3.7	3.3	3.3	3.0	4.0
250	64839	3.7	5.0	2.5	1.7	2.7	2.7	3.0	2.3	2.7
251	Go-144E	3.7	4.7	2.7	2.7	3.3	2.7	2.7	2.0	3.3
252	65118	3.7	4.0	3.5	3.0	3.7	4.0	3.3	3.3	3.7
253	64643	3.7	4.4	2.9	2.3	3.0	3.0	3.0	3.0	3.0
254	64724	3.7	3.8	3.5	3.0	4.3	3.7	4.0	2.7	4.3
255	3984	3.6	4.3	2.9	3.0	3.0	3.0	3.3	2.3	3.7
256	65159	3.6	4.0	3.1	3.3	3.7	2.0	4.0	2.7	5.0
257	65157	3.5	4.6	2.5	2.3	2.3	2.3	2.7	2.7	2.7
258	65104	3.5	4.4	2.7	2.7	3.0	2.7	2.7	2.3	3.3
259	64764	3.5	4.4	2.6	2.7	2.7	2.7	2.7	2.3	4.0
260	65176	3.5	4.7	2.1	2.7	2.3	1.7	2.0	2.0	3.3
261	64644	3.4	4.0	2.9	2.3	3.0	3.7	3.0	2.7	3.7
262	Barbados	3.4	4.5	2.3	2.3	3.3	1.7	2.7	1.7	2.0
263	64719	3.4	3.9	2.9	3.0	3.3	2.3	3.3	2.3	3.7
264	65160	3.4	3.8	2.9	2.7	3.7	2.3	3.3	2.7	3.7
265	64850	3.4	4.4	2.3	2.0	2.3	2.0	2.7	2.3	2.7

(continued)

266	64685	3.4	4.1	2.6	2.7	3.0	2.3	3.0	2.0	3.7
267	65174	3.3	3.6	3.1	3.3	3.7	2.3	3.3	3.0	3.7
268	65124	3.2	3.7	2.7	3.0	2.7	2.7	3.0	2.3	4.3
269	64848	2.1	2.4	1.8	1.3	2.3	2.0	2.0	1.3	1.7
LSD P=.05		0.9	0.6	1.6	1.9	1.8	1.6	1.9	1.9	2.5

¹ 9 = best turfgrass quality

² 9 = lowest incidence of damage from winter stress